

# SAFETY DATA SHEET

## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MasterEmaco N 5100

Product code : 000000000050443754

#### Manufacturer or supplier's details

Company : MB Solutions Australia Pty Ltd

Address : 11 Stanton Road, Seven Hills  
NSW 2147

Telephone : +611300227300

Emergency telephone : ChemTel: +1-813-248-0585; Australia: 1-300-954-583

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

Precautionary Statements :

#### Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

## MasterEmaco N 5100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2023	000000340400	Date of first issue: 03.02.2023

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
 Chemical nature : modified cement mortar

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 30 -< 60
crystalline silica	14808-60-7	>= 30 -< 60
Titanium dioxide	13463-67-7	< 10

**SECTION 4. FIRST AID MEASURES**

General advice : First aid personnel should pay attention to their own safety.  
 Remove contaminated clothing.

If inhaled : After inhalation of dust.  
 Keep patient calm, remove to fresh air.  
 If difficulties occur:  
 Seek medical attention.

In case of skin contact : After contact with skin, wash immediately with plenty of water and soap.  
 Under no circumstances should organic solvent be used.  
 If irritation develops, seek medical attention.

# SAFETY DATA SHEET

## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

---

- In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.  
Do not induce vomiting unless told to by a poison control center or doctor.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.
- Notes to physician : Treat symptomatically.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Foam  
Water spray  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)  
Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are sufficient.
- Unsuitable extinguishing media : water jet
- Specific hazards during fire fighting : Product is not combustible or explosive.  
No particular hazards known.
- Specific extinguishing methods : Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.  
The degree of risk is governed by the burning substance and the fire conditions.  
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
- Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid contact with skin and eyes.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.
- Environmental precautions : Do not discharge into drains/surface waters/groundwater.
- Methods and materials for containment and cleaning up : Sweep/shovel up.  
Keep in suitable, closed containers for disposal.
-

# SAFETY DATA SHEET

## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

---

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid dust formation.  
Avoid inhalation of dusts.  
Avoid contact with skin and eyes.  
The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment.  
Breathing must be protected when large quantities are de-canted without local exhaust ventilation.
- Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).  
Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Containers should be stored tightly sealed in a dry place.
- Recommended storage temperature : 5 - 50 °C
- Further information on storage stability : No decomposition if stored and applied as directed.
- 

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL

# SAFETY DATA SHEET

## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

		TWA (Respirable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
crystalline silica	14808-60-7	TWA (Respirable dust)	0,05 mg/m <sup>3</sup>	AU OEL
Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans				
		TWA (Respirable particulate matter)	0,025 mg/m <sup>3</sup> (Silica)	ACGIH
Titanium dioxide	13463-67-7	TWA	10 mg/m <sup>3</sup>	AU OEL
		TWA (Respirable particulate matter)	0,2 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH
		TWA (Respirable particulate matter)	2,5 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

### Personal protective equipment

- Respiratory protection : Breathing protection if dusts are formed.
- Filter type : Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)
- Hand protection
- Remarks : nitrile coated cotton gloves (e.g. EN 388, 374)
- Eye protection : Safety glasses with side-shields.
- Skin and body protection : Body protection must be chosen based on level of activity and exposure.  
light protective clothing
- Protective measures : Avoid contact with the skin, eyes and clothing.  
Avoid inhalation of dusts.  
In order to prevent contamination while handling, closed working clothes and working gloves should be used.  
Handle in accordance with good building materials hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : fine powder
- Color : beige to grey
- Odor : odourless

# SAFETY DATA SHEET

## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

---

Odor Threshold : Not determined due to potential health hazard by inhalation.

pH : 11 - 13 (23 °C)

Flash point : does not flash

Flammability (solid, gas) : not flammable

Self-ignition : not self-igniting

Upper explosion limit / Upper flammability limit : As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Lower explosion limit / Lower flammability limit : As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Density : 1,9 - 2,2 g/cm<sup>3</sup> (23 °C)  
Not applicable

Bulk density : 1.900 - 2.200 kg/m<sup>3</sup> (23 °C)  
1.900 - 2.000 kg/m<sup>3</sup> (50 °C)

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

Self-heating substances : It is not a substance capable of spontaneous heating.

Metal corrosion rate : No corrosive effect on metal.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : On admission of water reacts with light metals, e.g. aluminum, with the formation of hydrogen.  
Strong exothermic reaction with acids.

# SAFETY DATA SHEET



## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

---

- Chemical stability : The product is stable if stored and handled as prescribed/indicated.
  - Possibility of hazardous reactions : No hazardous reactions if stored and handled as prescribed/indicated.
  - Conditions to avoid : No conditions to avoid anticipated.
  - Incompatible materials : Strong acids
  - Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.
- 

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified based on available information.

##### Respiratory sensitization

Not classified based on available information.

#### Product:

Remarks : Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

#### Chronic toxicity

##### Germ cell mutagenicity

Not classified based on available information.

##### Carcinogenicity

Not classified based on available information.

##### Reproductive toxicity

Not classified based on available information.

##### STOT-single exposure

May cause respiratory irritation.

##### STOT-repeated exposure

Not classified based on available information.

##### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

---

**Product:**

No aspiration hazard expected.

**Further information**

**Product:**

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Product:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: Not applicable for inorganic substances.

**Bioaccumulative potential**

No data available

**Mobility in soil**

**Product:**

Distribution among environmental compartments : Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected. The substance will not evaporate into the atmosphere from the water surface.

**Other adverse effects**

**Product:**

Additional ecological information : No data available

---

### SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : Observe national and local legal requirements. Residues should be disposed of in the same manner as the

---



# SAFETY DATA SHEET



## MasterEmaco N 5100

Version 1.0      Revision Date: 03.02.2023      SDS Number: 000000340400      Date of last issue: -  
Date of first issue: 03.02.2023

---

substance/product.

Contaminated packaging : Completely emptied packagings can be given for recycling.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

##### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### ASIA\_ROAD

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Hazchem Code : Not applicable

## MasterEmaco N 5100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2023	000000340400	Date of first issue: 03.02.2023

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

Prohibition/Licensing Requirements : crystalline silica  
 Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

**The ingredients of this product are reported in the following inventories:**

AIIIC : On the inventory, or in compliance with the inventory

**SECTION 16. OTHER INFORMATION**

Revision Date : 03.02.2023

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
 AU OEL / TWA : Exposure standard - time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

# SAFETY DATA SHEET



## MasterEmaco N 5100

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2023	000000340400	Date of first issue: 03.02.2023

---

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN